DOI: 10.7860/JCDR/2023/61125.18069

Paediatrics Section

Tomato Flu- A New Virus Trending in Children

PRITAMA PAUL¹, SRITAMA PAUL², NIKHIL ERA³, KANAI LAL BARIK⁴, UTTAM KUMAR PAUL⁵



ABSTRACT

The new tomato flu virus has caused a new wave of concern, particularly in young people, as people try to live with Coronavirus Disease-2019 (COVID-19) infections and the undetected existence of monkeypox infections. The flu virus derives its name from the red blisters that resemble tomatoes and spread throughout the body of an affected person. Children between the ages of one and five and elderly people with compromised immune systems are frequently affected. Mouth ulcers, blisters, rashes, coughing, fever, sneezing, or runny nose, skin irritation, discolouration of the hands and legs, exhaustion, abdominal pains, nausea, vomiting, or diarrhea, body aches, and joint pain are the main warning signs and symptoms of tomato flu. To treat tomato flu, supportive measures and fever-reducing drugs like acetaminophen or ibuprofen may also be administered. Anti-viral medicines and immunisations are currently still unable to cure or prevent tomato flu. In order to properly address the epidemic, research should be focused in the future on the readiness of effective treatments and immunisations.

Keywords: Anti-viral medicine, Blisters, Epidemic, Fever, Immunisations, Rash

INTRODUCTION

Everyone has been residing in enclosed indoor quarters safe from illnesses since March 2020 [1]. People are becoming more aware of emerging endemics as a result of the relaxation of limitations and return to normalcy in life. Children's exposure to the outside world and illnesses has risen as a result of the re-opening of schools. As tomato flu is highly contagious, so the cases are rising. While people are attempting to live with COVID-19 infections and the undetectable presence of monkeypox infections, the new tomato flu virus has sparked a fresh wave of anxiety, particularly in young people [2,3].


Since viral infections are widespread in children this age and propagation is most probable through close contact, children are more likely to be exposed to tomato flu. Young children can be infected by this virus by touching dirty surfaces, using diapers, and putting objects directly in their mouths [4]. Given its resemblance to Hand-Foot-and-Mouth Disease (HFMD), tomato flu transmission can have serious consequences by spreading to adults if outbreaks in children are not controlled and prevented.

A newborn may get the virus from a mother who contracts it just before giving birth [5]. A newborn's risk of infection increases if the mother was suffering from enterovirus illness at the time of delivery. Most neonates infected with enteroviruses only experience a mild illness, but in rare instances, the infection may become serious and involve vital organs like the heart or liver and result in death [6,7]. The purposes of the review are to increase awareness of the disease among first-contact healthcare providers, thus enable early detection and facilitate rapid and efficient treatment.

Indian Scenario of Tomato Flu

The first tomato flu case was recorded on May 6, 2022, in the Kollam district of Kerala; by July 26, 2022, the local government hospitals had identified the illness in more than 82 children under the age of five. The other areas of Kerala that are affected are Anchal, Aryankavu, and Neduvathur [8,9]. The neighboring states of Tamil Nadu and Karnataka were alerted to this endemic viral disease. The Regional Medical Research Centre in Bhubaneswar also revealed that 26 youngsters (aged 1 to 9 years) in the state of Odisha had the illness. Other than Kerala, Tamil Nadu, and Odisha, no other parts of India have experienced the virus's effects as of yet. To monitor the viral

infections spread and stop it from spreading to other regions of India, the Kerala Health Department is taking precautions [4,8,9]. Tomato flu-affected states are shown in (orange coloured) [Table/Fig-1].



According to a report in UK, two children were suspected to be infected with tomato flu virus after their return from a trip to Kerala, India. But later on, it was diagnosed differently [10]. Previously, Coxsackie Virus A16 (CV-A16) (tomato flu was reported to cause fatal cases of HFMD in mainland China, France, Japan, Taiwan, and the United States. In 2010, 92 cases of HFMD with neurological dysfunction were reported in Shenyang, China. Nineteen cases were reported to be due to CV-A16 infection, of which two had brainstem encephalitis and one had acute flaccid paralysis [11].

Similarities between other Illnesses and Tomato Flu

The basic symptoms of tomato flu in children are thought to be identical to those of chikungunya or dengue, and the blisters may resemble chickenpox or even monkeypox [12,13]. To rule out viral illnesses like dengue or chikungunya, a thorough clinical examination and laboratory tests should be performed. Chickenpox can be distinguished from tomato flu by the fact that it does not result in blisters beneath the palm and feet [14].

The primary distinction between monkeypox and tomato flu, a kind of HFMD, is that monkeypox is uncommon in children while

Pritama Paul et al., Tomato Flu www.jcdr.net

HFMD primarily affects those under the age of seven. HFMD rashes mainly affect the palms, soles, and mouth. Although the buttocks and thighs might also develop these rashes, having rashes all over the body is unusual. They often aren't serious and go away on their own [15]. Monkeypox, on the other hand, causes consecutively spreading rashes from head to toe. It is typical for the face, genital region, palms, and soles to be affected. The rashes appear one to three days after the onset of the fever and can persist for two to four weeks [16,17].

SIGNS AND SYMPTOMS-TOMATO FLU

Mouth ulcers, blisters, and rashes can occur in tomato flu [Table/Fig-2,3]. The blisters initially appear as tiny red blisters that resemble tomatoes as they grow in size [9,18]. The primary signs and symptoms of tomato flu in children include fever, rashes, and joint discomfort, which are also characteristics of other viral illnesses. Along with weariness, nausea, vomiting, diarrhea, a fever, dehydration, joint swelling, body aches, and other influenza-like symptoms are all among the symptoms [18,19]. Mild fever, low appetite, lethargy, and frequently a sore throat are the first symptoms. Small red spots start to appear one or two days after the fever starts and they quickly develop into blisters and then ulcers. The tongue, gums, and inside of the cheeks, palms, and soles are the typical sites for the sores. It usually resolves within 7 to 10 days [4].

- Coughing, fever, sneezing, or runny nose: These signs of coronavirus infection are also rather typical in cases of tomato flu.
- **Skin irritability:** This is one of the most typical signs of tomato
- **Discolouration:** Legs and hands are discoloured and become marginally unrecognisable.
- Tiredness and fatigue: They can also pose a health concern.
- Body aches and joint pain: A Tomato virus afflicted child can have trouble due to body aches and joint pain [19].

The characterstic rashes are shown in [Table Fig-3,4] [20,21].





. . .

Diagnosis

When dengue, chikungunya, varicella-zoster, zika, and herpes are ruled out as viral infections in children who exhibit these symptoms,

molecular and serological testing is performed to confirm tomato flu virus infection [14,22-25].

TREATMENT [26]

Supportive management: Intake of more fluids to maintain hydration, rest, and hot water sponge baths to relieve irritation from rashes is given.

Specific management: Specific management is not available but children may be given anti-pyretic and analgesic medications such as ibuprofen or acetaminophen and other symptomatic treatments are required.

Role of antimicrobials and vaccines: Tomato flu cannot be treated or prevented with anti-viral medications or vaccinations. To better understand the need for prospective treatments, additional follow-up and monitoring for significant outcomes and sequelae are required.

PREVENTIVE MEASURES FOR TOMATO FLU

Here are some precautions against the tomato flu [4,26]:

- Body should be keep proper hydrated by drinking extra boiled water, juices, and other liquids.
- Patients should avoid transmission by circumventing touching blisters; maintaining good personal hygiene; and keeping a physical distance from suspicious instances. Adequate rest is needed to prevent the tomato flu's long-lasting symptoms.
- The tomato flu is remarkably contagious, just like other influenza types. Therefore, it is crucial to properly isolate any confirmed or suspected cases of the tomato flu virus and implement additional preventative measures in order to stop the virus's spread. Isolation should be used for 5-7 days after the onset of symptoms to prevent the virus from transmitting to other children or adults.
- The best way to prevent infection is to maintain proper hygiene, sanitise the surroundings, and restrict a sick child from sharing toys, clothes, food, or other items with other children who are not ill.

CONCLUSION(S)

There is a rise in the flu and other viral infections as a result of the weather change. The highly contagious tomato flu virus is transmitted to young infants by contact with contaminated surfaces, diaper use, or direct oral contact. The tomato flu can result in blisters, rashes, mouth ulcers, etc. Laboratory testing is done to see if a child has a tomato virus infection. In the course of treatment, supportive measures as well as medications such as acetaminophen or ibuprofen are used to lower the temperature. The greatest methods for preventing infection are practicing good hygiene, sterilising the surroundings, and preventing a sick child from sharing toys, clothes, food, or other items with other kids who are healthy. Tomato flu is still not curable or preventable with antiviral drugs or vaccinations. Future research should concentrate on the readiness of efficient therapies and vaccinations in order to appropriately handle the epidemic.

REFERENCES

- [1] Jeffrey G, Kai S. Modi Orders 3-Week Total Lockdown for All 1.3 Billion Indians. The New York Times. (24 March 2020). ISSN 0362-4331 (Available at: https://dx.doi.org/10.18203/2394-6040.ijcmph20205191. Accessed on Dec 29, 2022.)
- [2] Benvenuto D, Giovanetti M, Ciccozzi A, Spoto S, Angeletti S, Ciccozzi M. The 2019-new coronavirus epidemic: evidence for virus evolution. J Med Virol. 2020;92(4):455-59.
- [3] Chavda VP, Apostolopoulos V.Is booster dose strategy sufficient for omicron variant of SARS-CoV-2? Vaccines. 2022;10(3):367-69.
- [4] Aswini S, Anil A, Dutta G, Sharma RP, Dutta S, Kumar T, et al. Tomato Flu-a review on existing scenario. Int J Pharm Sci Rev Res. 2022;75(2):196-99.
- [5] CDC. Pregnancy & Non-Polio Enterovirus Infection, August 8, 2020. [Available at: https://www.cdc.gov/non-polioenterovirus/pregnancy.html. Accessed Dec 22, 2022].

- [6] Chuang YY, Huang YC. Enteroviral infection in neonates. J Microbiol Immunol Infect. 2019;52(6):851-57.
- [7] Abzug MJ. Presentation, diagnosis, and management of enterovirus infections in neonates. Paediatr Drugs. 2004;6(1):01-10.
- [8] Sudhakar K. Alert in Karnataka over tomato flu. The Hindu. May 12, 2022. https://www.thehindu.com/news/national/karnataka/alert-in-karnataka-over-tomato-flu/article65405330.ece Date accessed: October24, 2022.
- [9] Jacob J. How Kerala is battling "tomato flu" outbreak. India Today, May 15, 2022.
 [Available at https://www.indiatoday.in/india-today-insight/story/how-Kerala-is-battling-tomato-flu-outbreak-1949473-05-15. Date accessed: October 19, 2022]
- [10] Thiagarajan K. Reports of "tomato flu" outbreak in India are not due to new virus, say doctors. BMJ [Internet]. 2022;378:o2101. Available from: https://www.bmj. com/content/378/bmj.o2101
- [11] Ismail A, Saahath A, Ismail Y, Ismail MF, Zubair Z, Subbaram K. Tomato flu' a new epidemic in India: Virology, epidemiology, and clinical features. New Microbes New Infect. 2022;51:101070. Doi: 10.1016/j.nmni.2022.101070.
- [12] Schwartz O Albert M. Biology and pathogenesis of Chikungunya virus. Nat Rev Microbiol. 2010;8:491-500. https://www.nature.com/articles/nrmicro2368.
- [13] Guzman MG, Gubler DJ, Izquierdo A, Martinez E, Halstead SB. Dengue infection. Nat Rev Dis Primers. 2016 Aug 18;2:16055. Doi: 10.1038/nrdp.2016.55.
- [14] Espy MJ, Teo R, Ross TK, Svien KA, Wold AD, Uhl JR, et al. Diagnosis of varicella-zoster virus infections in the clinical laboratory by light cycler PCR. J Clin Microbiol. 2000;38(9):3187-89.
- [15] Ślebioda Z, Dorocka-Bobkowska B. Hand, foot and mouth disease as an emerging public health problem: Case report of familial child-to-adult transmission. Dent Med Probl. 2018;55(1):99-104.
- [16] Paul P, Singh R, Era N, Paul S, Paul UK. Monkeypox: Current trends and therapeutic challenges. Ann Med Sci Res. 2022;1:104-10. https://journals. lww.com/amsr/_layouts/15/oaks.journals/downloadpdf.aspx?an=02273472-202209000-00002.

- [17] Chavda VP Apostolopoulos V. Rare monkey pox: is it really a threat to the elderly? Maturitas. 2022;163:90-91. Doi: 10.1016/j.maturitas.2022.05.014. Epub 2022 Jun 9.
- [18] Goshwami S. Tomato fever symptoms, cause, treatment, precautions [Internet]. DMER Haryana [cited 2022 Dec 23]. Available from: https://dmerharyana.org/tomato-fever.
- [19] Barigala DRA. Tomato flu-all you need to know [Internet]. Apollo Hospitals Blog. 2022 [Available from: https://healthlibrary.askapollo.com/tomato-flu-all-you-need-to-know. Accessed on 22 Dec 2022].
- [20] Tomato flu: 26 cases detected in Odisha, all you need to know about the virus [Internet]. DNA India. [Available from: https://www.dnaindia.com/health/report-tomato-flu-26-cases-detected-in-odisha-all-you-need-to-know-about-virus-symptoms-hand-foot-and-mouth-disease-2955475. Accessed on 21st October 2022].
- [21] Arfa Javaid, Jagranjosh, May 18, 2022, "What is tomato fever? Check symptoms, causes, treatment and precautions." [Available at https://www.jagranjosh.com/general-knowledge/what-is-tomato-fever-check-symptoms-causes-treatment-and-precautions-1652872776-1. Accessed on 21st October 2022]
- 22] Hasan S, Jamdar SF, Alalowi M, Al Ageel Al Beaiji SM. Dengue virus: A global human threat: Review of literature. J Int Soc Prev Community Dent. 2016;6(1):01-06.
- [23] Cunha RVD, Trinta KS. Chikungunya virus: Clinical aspects and treatment-a review. Mem Inst Oswaldo Cruz. 2017;112(8):523-31.
- [24] Simpson DIH. Zika virus infection in man. Transactions of the Royal Society of Tropical Medicine and Hygiene. 1964;58(4):335-38.
- [25] Mindel A. Cutaneous herpes simplex infection. Scand J Infect Dis Suppl. 1991;80:47-52. https://pubmed.ncbi.nlm.nih.gov/1803499/.
- [26] Paul P, Nath R, Gupta S. Awareness survey, safety measures and precautions to combat tomato fever-a prospective observational study. J Current Med Res Opinion. 2022;5(8):1353-65.

PARTICULARS OF CONTRIBUTORS:

- 1. Trainee (Postgraduate), Department of Pharmacology, MGM Medical College, Kishanganj and LSK Hospital, Bihar, India.
- 2. Student, Department of Biotechnology, Amity University, Kolkata, West Bengal, India.
- 3. Associate Professor, Department of Pharmacology, MGM Medical College, Kishanganj and LSK Hospital, Bihar, India.
- 4. Professor, Department of Pediatrics, Burdwan Medical College, West Bengal, India.
- 5. Professor, Department of Medicine, MGM Medical College and LSK Hospital, Kishanganj, Bihar, India.

NAME, ADDRESS, E-MAIL ID OF THE CORRESPONDING AUTHOR:

Uttam Kumar Paul.

Professor, Department of Medicine, MGM Medical College and LSK Hospital, Kishanganj, Bihar, India.

E-mail: druttam131065@gmail.com

AUTHOR DECLARATION:

- Financial or Other Competing Interests: None
- Was informed consent obtained from the subjects involved in the study? NA
- For any images presented appropriate consent has been obtained from the subjects. NA

PLAGIARISM CHECKING METHODS: [Jain H et al.]

Plagiarism X-checker: Nov 02, 2022

• Manual Googling: Dec 28, 2022

• iThenticate Software: Feb 04, 2023 (19%)

ETYMOLOGY: Author Origin

EMENDATIONS: 7

Date of Submission: Nov 01, 2022
Date of Peer Review: Dec 20, 2022
Date of Acceptance: Feb 08, 2023
Date of Publishing: Jun 01, 2023